


RIFTEK





RF303

Mobile computer



Technical specification:

- **Display**
 - 3.5" LCD TFT display with resistive touch screen;
 - 320 x 240 pixel resolution, up to 262144 colors.
 - **Language support**
 - British English, American English, Canadian French, Czech, Danish, Dutch, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Spanish, Latin American Spanish, Swedish, Russian.
 - **Connectivity**
 - USB 2.0 High-speed OTG;
 - USB 2.0 High-speed host;
 - Bluetooth v2.1;
 - WiFi 802.11 b/g;
 - RS-232;
 - General purpose I/O with Timer/PWM support;
 - Stereo audio output (headset);
 - Integrated GPS with A-GPS;
 - Microphone input.
 - **Battery**
 - Li-ion KOKAM 3300mAh.
 - **Processor and 3D accelerator**
 - TI OMAP 3503/3530: ARM Cortex-A8 600 MHz;
 - PowerVR SGX with OpenGL ES 2.0 support.
 - **Memory**
 - 256 MB RAM;
 - 256 MB Flash;
 - Support SDHC card up to 32GB.
 - **Размеры и вес**
 - 117 x 80 x 34 mm;
 - 500 g.
 - **Color**
 - Gray.
 - **GSM/GPRS:**
 - Internal modem with Dual-band 900/1800 MHz (CE, GCF, China RTE, R&TTE-certifications);
 - GPRS class 10;
 - Voice channel with external headset support.
 - **GPS:**
 - Internal 66-channel GPS with A-GPS support.
 - **Accelerometer:**
 - Internal accelerometer (inclinometer) with 0.1° precision.
 - **Operating system:**
 - Windows CE 6.0 R2/R3;
 - Windows CE 6.0 R2/R3 SDK for developers.
 - **Implement**
 - Hand wearing device;
 - Water/dirt resist package (IP57).
-



3

LLC «RIFTEK»
Republic of Belarus,
Minsk, Logoisky trackt, 22-314
+375 17 281 35 13
<http://www.riftek.com>
e-mail:info@riftek.com